Carbohydrate Research, 225 (1992) c1
Elsevier Science Publishers B.V., Amsterdam

AUTHOR INDEX

Banaszek, A., 1
Beale, J. M., 11

Cherniak, R., 331
Chernyak A. Ya., 279
Cizeau, J., 179

Dalvoy, V. S., 151
Delay, D., 179
Delmotte, F., 179
Desai, T., 209

El Ashry, E. S. H., 59
El Kilany, Y., 59

Floss, H. G., 11

Galambos, G., 269
Galbis Pérez, J. A., 159
Garcia-Ochoa, S., 155
Garegg, P. J., 163
Gettins, P., 43
Gigg, J., 209
Gigg, R., 209
Gil-Serrano, A., 169
Gluziński, P., 1
Gomez, A. M., 155
González-Jiménez, I., 169
Gorshkova, R. P., 189
Goux, W. J., 123

Hall, L. D., 291, 307
Hamid, H. A., 59
Hayashi, K., 175
Hirano, S., 175
Hirochi, K., 175
Hodosi, G., 269
Holme, K. R., 291, 307
Horne, A., 43

Jiang, H., 99

Kamerling, J. P., 229
Kochetkov, N. K., 279
Koh, L. L., 99
Kononov, L. O., 279
Krajewski, J. W., 1
Kuan, K. T., 123
Kuszmann, J., 247, 269

Lamandé, L., 113
Lamb, D. J., 137
Lee, C.-K., 99
Lehmann, J., 67, 83
Linhardt, R. J., 137
Loganathan, D., 137

Mallis, L. M., 137
Martínez, M. B., 159
Mata, F. Z., 159
Matschulat, P., 147
Mayer, R. M., 11
Mazeau, K., 27
Megias, M., 169
Mereyala, H. B., 151
Meyer, S. A., 331
Morris, L. C., 331
Mousaad, A., 59
Munoz, A., 113

Oscarson, S., 163
Ovodov, Yu. S., 189

Paulsen, H., 147
Payne, S., 209
Podányi, B., 247, 269

Radha Krishna, P., 279
Rama Rao, A. V., 279
Rashed, N., 59
Robyt, J. F., 321
Romero-Vázquez, M. J., 169

Sánchez del Junco, A., 169
Scheuring, M., 67
Shashkov, A. S., 189
Sottile, L., 123
Speers, R. A., 307
Stangier, P., 147
Steginsky, C. A., 11
Sviridov, A. F., 189

Tanriseven, A., 321
Tejero-Mateo, P., 169
Thiem, J., 147
Tidén, A.-K., 163
Tung, M. A., 307
Tvaroska, I., 27

Valverde, S., 155
Van Steijn, A. M. P., 229
Venkataramanaiah, K. C., 151
Vliegenthart, J. F. G., 229

Wang, H. M., 137
Weber, D. S., 123

Ziser, L., 83
Zubkov, V. A., 189

Carbohydrate Research, 225 (1992) c3–c5
Elsevier Science Publishers B.V., Amsterdam

SUBJECT INDEX

Acceptor binding-site, inhibition of dextran synthesis by acceptor reactions of dextransucrase, and the demonstration of a separate, 321
Acyl derivatives of *O*-carboxymethylchitosan, some *N*-, 175
Agrobacterium tumefaciens, synthesis of aryl glycosides as *vir* gene inducers of, 179
Alginic acid and the effects of calcium binding as determined by high-field n.m.r., structural determination of, 11
1,6-Anhydro-2,3-dideoxy-β-D-*erythro*- and -*threo*-hex-2-enopyranose, synthesis from 3,4-di-*O*-substituted glycals by a facile intramolecular Ferrier reaction, 151
3,4-Anhydropyranose system, studies of the ring conformations using X-ray diffractometry, I
Antigen corresponding to a disaccharide repeating unit of the capsular polysaccharide of *Haemophilus influenzae* type e, synthesis of an artificial, 163
L-Arabinose and D-mannose, reaction with Meldrum's acid, 159
Aryl glycosides as *vir* gene inducers, synthesis of, 179
5-Azido-6-*O*-benzoyl-3,5-dideoxy-3-fluoro-1,2-*O*-isopropylidene-α-D-glucofuranose, synthesis, reactions, and crystal structure of, 99

Benzyl 3,4-anhydro-2-*O*-mesyl-6-*O*-trityl-α-D-altropyranoside, crystal and molecular structure, I
Benzyl ethers of *myo*-inositol, the preparation, resolution, and phosphorylation of some, 209
Binding site of an immunoglobulin, spacer-modified saccharides for the regioselective photoaffinity labelling of the, 67
Borate esters of alditols, ^{11}B- and ^{13}C-n.m.r. characterization of, synthesis of, 113

Calcium binding as determined by high-field n.m.r., structural determination of alginic acid and the effects of, 11
Carboxymethylchitosan, some *N*-acyl derivatives of *O*-, 175
Chitosan, some *N*-acyl derivatives of *O*-carboxymethyl-, 175
Chitosan derivatives, preparation and characterization of *N*-[2-(glycosyloxy)ethyl]-, 291
Chitosan derivatives, solution interaction and rheology of *N*-[2-(glycosyloxy)ethyl]-, 307
Conformational energy map of methyl 4-thio-α-maltoside in solution, PCILO quantum-mechanical relaxed, 27
CTP: *N*-acylneuraminate cytidyltransferase, synthesis of an affinity ligand for, 147
Cytidine-5′-monophosphosialate synthase, synthesis of a glycosidic affinity ligand for, 147
Cytidyltransferase, CTP: *N*-acylneuraminate, synthesis of an affinity ligand for, 147

Dextran synthesis by acceptor reactions of dextransucrase, and the demonstration of a separate acceptor binding-site, inhibition of, 321
3,6-Dideoxy-4-*C*-(4′-hydroxyethyl)hexopyranoses (yersinioses), synthesis from 1,6-anhydro-β-D-glucopyranose, 189
2,3-Dideoxy-4,6:7,8-di-*O*-isopropylidene-D-*gluco*-oct-2-enono-1,5-lactone, a synthesis of, 155

D-Erythorbic acid, dehydro-, quinoxaline *versus* 2[1*H*]-quinoxalinone rings from, mode of formation of, 59
Exopolysaccharide secreted by *Rhizobium leguminosarium* biovar *phaseoli* CFN 42, structure of the acidic, 169

Fast-atom-bombardment mass-spectrometry, analysis of glycosaminoglycan-derived oligosaccharides using, 137
Ferrier reaction of 3,4-di-*O*-substituted glycals, synthesis of 1,6-anhydro-2,3-dideoxy-β-D-*erythro*- and -*threo*-hex-2-enopyranose by a facile intramolecular, 151
3-Fluoro-1,2-*O*-isopropylidene-α-D-glucofuranose, synthesis, reactions, and crystal structure of 5-azido-6-*O*-benzoyl-3,5-dideoxy-, 99
D-Fructose phosphates, ^{13}C-substituted, a convenient method for the preparation of variety of, using readily available enzymes of the glycolytic pathway, 123

Gas–liquid chromatography–mass spectrometry, and ^{13}C-nuclear magnetic resonance spectroscopy, structural analysis of glucuronoxylomannan of *Cryptococcus neoformans* serotype C by, 331
vir Gene inducers of *Agrobacterium tumefaciens*, synthesis of aryl glycosides as, 179
Glucofuranose, synthesis, reactions, and crystal structure of 5-azido-6-*O*-benzoyl-3,5-dideoxy-3-fluoro-1,2-*O*-isopropylidene-α-D-, 99
Glucuronoxylomannan of *Cryptococcus neoformans* serotype C: structural analysis by gas–liquid chromatography–mass spectrometry and ^{13}C-nuclear magnetic resonance spectroscopy, 331

Glycosaminoglycan-derived oligosaccharides, analysis using f.a.b.-m.s. of, 137
Glycosyloxy)ethyl]chitosan derivatives, preparation and characterization of *N*-[2-(, 291

Haemopholis influenzae type e, synthesis of an artificial antigen corresponding to a disaccharide repeating unit of the capsular polysaccharide of, 163
Heparin-derived oligosaccharides, ^{1}H-n.m.r. spectral assignments for two series of, 43
Heptanolide, synthesis of 7-(2,4-dichlorophenyl)-D-*erythro*-3-hydroxy-5-, 269
Heptonic acid, synthesis of 2,6,7-trideoxy-7-*C*-(2,4-dichlorophenyl)-D-*xylo*, 247
Hex-2-enopyranose, synthesis of 1,6-anhydro-2,3-dideoxy-*β*-D-*erythro*- and -*threo*-, by a facile intramolecular Ferrier reaction of 3,4-di-*O*-substituted glycals, 151
Hexane-1-sulfonic acid, synthesis of 6-(2,4-dichlorophenyl)-D-*erythro*-2,4-dihydroxy-, 269
Hexanesulfonic acid, synthesis of 6-(2,4-dichlorophenyl)-D-*xylo*-2,3,4-trihydroxy-, 247
Hexylphosphonic acid, synthesis of 6-(2,4-dichlorophenyl)-D-*erythro*-2,4-dihydroxy, 269

Inhibition of dextran synthesis by acceptor reactions of dextransucrase, and the demonstration of a separate acceptor binding-site, 321
myo-Inositol, the preparation, resolution, and phosphorylation of some benzyl ethers of, 209

Lysine-containing fragments of the *Proteus mirabilis* O27 O-specific polysaccharide and neoglycoconjugates therefrom, synthesis of, 279

Maltoside in solution, PCILO quantum-mechanical relaxed conformational energy map of methyl 4-thio-α-, 27
D-Mannose and L-arabinose, reaction with Meldrum's acid, 159
Meldrum's acid, reaction with D-mannose and L-arabinose, 159

^{1}H-N.m.r. spectral assignments for two series of heparin-derived oligosaccharides, 43
^{13}C-Nuclear magnetic resonance spectroscopy, and gas–liquid chromatography–mass spectrometry, structural analysis of glucuronoxylomannan of *Cryptococcus neoformans* serotype C by, 331

Oct-2-enono-1,5-lactone, a synthesis of 2,3-dideoxy-4,6:7,8-di-*O*-isopropylidene-D-*gluco*-, 155
Oligosaccharides derived from glycosaminoglycans, analysis using f.a.b.-m.s. of, 137
Oligosaccharides, heparin-derived, ^{1}H-n.m.r. spectral assignments for two series of, 43

PCILO quantum-mechanical relaxed conformational energy map of methyl 4-thio-α-maltoside in solution, 27
Photoaffinity labelling of the binding site of an immunoglobulin, spacer-modified saccharides for the regioselective, 67
Photolabile tetrasaccharides as analogues of maltopentaose for probing porcine pancreatic alpha-amylase, use of spacer-modified, 83
Polysaccharide, synthesis of lysine-containing fragments of the *Proteus mirabilis* O27 O-specific, and neoglycoconjugates therefrom, 279
Polysaccharide of *Streptococcus pneumoniae* type 18C, synthesis of trisaccharide methyl glycosides related to fragments of the capsular, 229
Preparation and characterization of *N*-[2-(glycosyloxy)ethyl]chitosan derivatives, 291
Preparation, resolution, and phosphorylation of some benzyl ethers of *myo*-inositol: intermediates for the synthesis of *myo*-inositol phosphates of the phosphatidylinositol cycle, 209
Proteus mirabilis O27 O-specific polysaccharide, synthesis of lysine-containing fragments and neoglycoconjugates therefrom, 279

Quinoxaline *versus* 2[1*H*]-quinoxalinone rings from dehydro-D-erythorbic acid, mode of formation of, 59

Rheology of *N*-[2-(glycosyloxy)ethyl]chitosan derivatives, solution interaction and, 307
Rhizobium leguminosarium biovar *phaseoli* CFN 42, structure of the acidic exopolysaccharide secreted by, 169

Solution interaction and rheology of *N*-[2-(glycosyloxy)ethyl]chitosan derivatives, 307
Spacer-modified photolabile tetrasaccharides as analogues of maltopentaose for probing porcine pancreatic alpha-amylase, 83
Spacer-modified saccharides for the regioselective photoaffinity labelling of the binding site of an immunoglobulin, 67
Streptococcus pneumoniae type 18C, synthesis of trisaccharide methyl glycosides related to fragments of the capsular polysaccharide of, 229
Structural determination of alginic acid and the effects of calcium binding as determined by high-field n.m.r., 11
Structure of the acidic exopolysaccharide secreted by *Rhizobium leguminosarium* biovar *phaseoli* CFN 42, 169
^{13}C-Substituted D-fructose phosphates, a convenient method for the preparation of a variety of, using readily available enzymes of the glycolytic pathway, 123
Synthesis of 3,6-dideoxy-4-*C*-(4^{1}-hydroxyethyl)-hexopyranoses (yersinioses) from 1,6-anhydro-*β*-D-glucopyranose, 189

Tetrasaccharides as analogues of maltopentaose for probing porcine pancreatic alpha-amylase, use of spacer-modified photolabile, 83

2,6,7-Trideoxy-7-*C*-(2,4-dichlorophenyl)-D-*xylo*-heptonic acid and 6-(2,4-dichlorophenyl)-D-*xylo*-2,3,4-trihydroxyhexanesulfonic acid, synthesis of, 247

p-Trifluoroacetamidophenyl 2-acetamido-4-*O*-(2-acetamido-2-deoxy-β-D-glucopyranosyl)-2-deoxy-β-D-mannopyranosiduronic acid, synthesis of, 163

Trisaccharide methyl glycosides related to fragments of the capsular polysaccharide of *Streptococcus pneumoniae* type 18C, synthesis of, 229

X-Ray investigation of benzyl 3,4-anhydro-2-*O*-mesyl-6-*O*-trityl-α-D-altropyranoside: ring conformations in the 3,4-anhydropyranose system, 1

Yersinioses [3,6-dideoxy-4-*C*-(4[1]-hydroxyethyl) hexopyranoses], synthesis from 1,6-anhydro-β-D-glucopyranose, 189